

Фитинги и трубы среднего давления 20

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70


Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93


Typical 20 Series fittings Assemblies

- ❖ Coned-and-Threaded Connection
- ❖ Available sizes are 1/4, 3/8, 9/16, 3/4, and 1 in.
- ❖ Working temperature from -423°F to 1200°F (-252°C to 649°C)
- ❖ Special 316 stainless steel and Alloy 826 material
- ❖ Anti-vibration connection components available
- ❖ Hikelok 20 series medium pressure fittings are designed for use with 20 series medium pressure valves




Dimensions

Glands




T-Tube O.D. in.	Basic Ordering Number	Dimensions, in. (mm)	
		G	L
1/4	20G-MPF4-	0.50 (12.7)	0.58 (14.7)
3/8	20G-MPF6-	0.63 (15.9)	0.73 (18.5)
9/16	20G-MPF9-	0.94 (23.8)	0.88 (22.4)
3/4	20G-MPF12-	1.19 (30.2)	1.00 (25.4)
1	20G-MPF16-	1.38 (34.9)	1.38 (35.1)

Collars




T-Tube O.D. in.	Basic Ordering Number	Dimensions, in. (mm)	
		D	L
1/4	20C-MPF4-	0.38 (9.7)	0.22 (5.6)
3/8	20C-MPF6-	0.47 (11.9)	0.25 (6.4)
9/16	20C-MPF9-	0.72 (18.3)	0.31 (7.9)
3/4	20C-MPF12-	0.94 (23.8)	0.37 (9.4)
1	20C-MPF16-	1.25 (31.8)	0.50 (12.7)

Plugs




T-Tube O.D. in.	Basic Ordering Number	Dimensions, in. (mm)	
		D	L
1/4	20P-MPF4-	0.38 (9.7)	0.94 (23.8)
3/8	20P-MPF6-	0.47 (11.9)	1.18 (30.0)
9/16	20P-MPF9-	0.72 (18.3)	1.40 (35.6)
3/4	20P-MPF12-	0.94 (23.8)	1.69 (42.9)
1	20P-MPF16-	1.25 (31.8)	2.20 (55.9)

Union Couplings




T-Tube O.D. in.	Basic Ordering Number	Dimensions, in. (mm)				
		L	C	D	G	F
1/4	20U-MPF4-	1.62 (41.1)	0.38 (9.7)	0.11 (2.8)	0.50 (12.7)	0.63 (15.9)
3/8	20U-MPF6-	1.75 (44.5)	0.44 (11.2)	0.20 (5.1)	0.63 (15.9)	0.75 (19.1)
9/16	20U-MPF9-	2.12 (53.9)	0.53 (13.5)	0.31 (7.9)	0.94 (23.8)	1.00 (25.4)
3/4	20U-MPF12-	2.50 (63.5)	0.62 (15.7)	0.44 (11.1)	1.19 (30.2)	1.38 (34.9)
1	20U-MPF16-	3.50 (88.9)	0.72 (18.3)	0.56 (14.3)	1.38 (34.9)	1.75 (44.5)

Reducing Union Couplings




T-Tube O.D. in.	Tx-Tube O.D. in.	Basic Ordering Number	Dimensions, in. (mm)						
			L	C	Cx	D	G	Gx	F
3/8	1/4	MPF6-20RU-MPF4-	1.75 (44.5)	0.44 (11.2)	0.38 (9.7)	0.11 (2.8)	0.63 (15.9)	0.50 (12.7)	0.75 (19.1)
9/16	1/4	MPF9-20RU-MPF4-	2.00 (50.8)	0.53 (13.5)	0.38 (9.7)	0.11 (2.8)	0.94 (23.8)	0.50 (12.7)	1.00 (25.4)
9/16	3/8	MPF9-20RU-MPF6-	2.00 (50.8)	0.53 (13.5)	0.44 (11.2)	0.20 (5.1)	0.94 (23.8)	0.63 (15.9)	1.00 (25.4)
3/4	1/4	MPF12-20RU-MPF4-	2.25 (57.2)	0.62 (15.7)	0.38 (9.7)	0.11 (2.8)	1.19 (30.2)	0.50 (12.7)	1.38 (34.9)
3/4	3/8	MPF12-20RU-MPF6-	2.25 (57.2)	0.62 (15.7)	0.44 (11.2)	0.20 (5.1)	1.19 (30.2)	0.63 (15.9)	1.38 (34.9)
3/4	9/16	MPF12-20RU-MPF9-	2.50 (63.5)	0.62 (15.7)	0.53 (13.5)	0.31 (7.9)	1.19 (30.2)	0.94 (23.8)	1.38 (34.9)
1	1/4	MPF16-20RU-MPF4-	2.75 (69.9)	0.72 (18.3)	0.38 (9.7)	0.11 (2.8)	1.38 (34.9)	0.50 (12.7)	1.75 (44.5)
1	3/8	MPF16-20RU-MPF6-	2.88 (73.0)	0.72 (18.3)	0.44 (11.2)	0.20 (5.1)	1.38 (34.9)	0.63 (15.9)	1.75 (44.5)
1	9/16	MPF16-20RU-MPF9-	3.00 (76.2)	0.72 (18.3)	0.53 (13.5)	0.31 (7.9)	1.38 (34.9)	0.94 (23.8)	1.75 (44.5)
1	3/4	MPF16-20RU-MPF12-	3.00 (76.2)	0.72 (18.3)	0.62 (15.7)	0.44 (11.1)	1.38 (34.9)	1.19 (30.2)	1.75 (44.5)

Union Couplings (Slip Type)




T-Tube O.D. in.	Basic Ordering Number	Dimensions, in. (mm)				
		L	C	D	G	F
1/4	20SU-MPF4-	1.62 (41.1)	0.38 (9.7)	0.11 (2.8)	0.50 (12.7)	0.63 (15.9)
3/8	20SU-MPF6-	1.75 (44.5)	0.44 (11.2)	0.20 (5.1)	0.63 (15.9)	0.75 (19.1)
9/16	20SU-MPF9-	2.12 (53.9)	0.53 (13.5)	0.31 (7.9)	0.94 (23.8)	1.00 (25.4)
3/4	20SU-MPF12-	2.50 (63.5)	0.62 (15.7)	0.44 (11.1)	1.19 (30.2)	1.38 (34.9)
1	20SU-MPF16-	3.50 (88.9)	0.72 (18.3)	0.56 (14.3)	1.38 (34.9)	1.75 (44.5)

Bulkhead Couplings




T-Tube O.D. in.	Basic Ordering Number	Dimensions, in. (mm)						
		L	C	D	G	F	Panel Hole Size	Max. Panel Thickness
1/4	20BU-MPF4-	1.88 (47.8)	0.38 (9.7)	0.11 (2.8)	0.50 (12.7)	1.00 (25.4)	0.81 (20.6)	0.38 (9.7)
3/8	20BU-MPF6-	2.00 (50.8)	0.44 (11.2)	0.20 (5.1)	0.63 (15.9)	1.06 (27.0)	0.94 (23.9)	0.38 (9.7)
9/16	20BU-MPF9-	2.38 (60.5)	0.53 (13.5)	0.31 (7.9)	0.94 (23.8)	1.38 (34.9)	1.13 (28.6)	0.38 (9.7)
3/4	20BU-MPF12-	2.62 (66.5)	0.62 (15.7)	0.44 (11.1)	1.19 (30.2)	1.88 (47.6)	1.69 (42.9)	0.38 (9.7)
1	20BU-MPF16-	3.50 (88.9)	0.72 (18.3)	0.56 (14.3)	1.38 (34.9)	2.13 (54.0)	1.94 (49.3)	0.38 (9.7)

Caps




T-Tube O.D. in.	Basic Ordering Number	Dimensions, in. (mm)			
		L	C	G	F
1/4	20CA-MPF4-	0.81 (20.6)	0.38 (9.7)	0.50 (12.7)	0.63 (15.9)
3/8	20CA-MPF6-	1.13 (28.6)	0.44 (11.2)	0.63 (15.9)	0.75 (19.1)
9/16	20CA-MPF9-	1.38 (34.9)	0.53 (13.5)	0.94 (23.8)	1.00 (25.4)
3/4	20CA-MPF12-	1.75 (44.5)	0.62 (15.7)	1.19 (30.2)	1.38 (34.9)
1	20CA-MPF16-	2.25 (57.2)	0.72 (18.3)	1.38 (34.9)	1.75 (44.5)

Elbows




T-Tube O.D. in.	Basic Ordering Number	Dimensions, in. (mm)							
		C	D	G	L	E	L1	E1	Thickness
1/4	20UE-MPF4-	0.38 (9.7)	0.11 (2.8)	0.50 (12.7)	1.12 (28.4)	0.75 (19.1)	1.12 (28.4)	0.75 (19.1)	0.63 (15.9)
3/8	20UE-MPF6-	0.44 (11.2)	0.20 (5.1)	0.63 (15.9)	1.38 (34.9)	1.00 (25.4)	1.38 (34.9)	1.00 (25.4)	0.75 (19.1)
9/16	20UE-MPF9-	0.53 (13.5)	0.31 (7.9)	0.94 (23.8)	1.75 (44.5)	1.25 (31.8)	1.75 (44.5)	1.25 (31.8)	1.00 (25.4)
3/4	20UE-MPF12-	0.62 (15.7)	0.44 (11.1)	1.19 (30.2)	2.25 (57.2)	1.50 (38.1)	2.25 (57.2)	1.50 (38.1)	1.38 (34.9)
1	20UE-MPF16-	0.72 (18.3)	0.56 (14.3)	1.38 (34.9)	3.00 (76.2)	2.06 (52.3)	3.00 (76.2)	2.06 (52.3)	1.75 (44.5)

Tees



T-Tube O.D. in.	Basic Ordering Number	Dimensions, in. (mm)						
		C	D	G	L	L1	E	Thickness
1/4	20UT-MPF4-	0.38 (9.7)	0.11 (2.8)	0.50 (12.7)	1.50 (38.1)	1.12 (28.4)	0.75 (19.1)	0.63 (15.9)
3/8	20UT-MPF6-	0.44 (11.2)	0.20 (5.1)	0.63 (15.9)	2.00 (50.8)	1.38 (34.9)	1.00 (25.4)	0.75 (19.1)
9/16	20UT-MPF9-	0.53 (13.5)	0.31 (7.9)	0.94 (23.8)	2.50 (63.5)	1.75 (44.5)	1.25 (31.8)	1.00 (25.4)
3/4	20UT-MPF12-	0.62 (15.7)	0.44 (11.1)	1.19 (30.2)	3.00 (76.2)	2.25 (57.2)	1.50 (38.1)	1.38 (34.9)
1	20UT-MPF16-	0.72 (18.3)	0.56 (14.3)	1.38 (34.9)	4.12 (104.6)	3.00 (76.2)	2.06 (52.3)	1.75 (44.5)

Crosses



T-Tube O.D. in.	Basic Ordering Number	Dimensions, in. (mm)					
		C	D	G	L	L1	Thickness
1/4	20UC-MPF4-	0.38 (9.7)	0.11 (2.8)	0.50 (12.7)	1.50 (38.1)	1.50 (38.1)	0.63 (15.9)
3/8	20UC-MPF6-	0.44 (11.2)	0.20 (5.1)	0.63 (15.9)	2.00 (50.8)	2.00 (50.8)	0.75 (19.1)
9/16	20UC-MPF9-	0.53 (13.5)	0.31 (7.9)	0.94 (23.8)	2.50 (63.5)	2.50 (63.5)	1.00 (25.4)
3/4	20UC-MPF12-	0.62 (15.7)	0.44 (11.1)	1.19 (30.2)	3.00 (76.2)	3.00 (76.2)	1.38 (34.9)
1	20UC-MPF16-	0.72 (18.3)	0.56 (14.3)	1.38 (34.9)	4.12 (104.6)	4.12 (104.6)	1.75 (44.5)

Ordering Information

❖ To order Hikelok 20 series medium pressure fittings, add the material designator (316 or A825) to the ordering number

Tubing

- ❖ Hikelok 20 series medium pressure tubing is manufactured specifically for high pressure applications
- ❖ 316 stainless steel and alloy 825 materials



T-Tube O.D. in.	Wall Thickness in.	Material	Basic Ordering Number	Tolerance O.D. in. (mm)
1/4	0.070	316	20FT-4-0.07-6M-	0.248/0.243 (6.30/6.17)
3/8	0.086	316	20FT-6-0.086-6M-	0.370/0.365 (9.40/9.27)
9/16	0.125	316	20FT-9-0.125-6M-	0.557/0.552 (14.15/14.02)
3/4	0.156	316	20FT-12-0.156-6M-	0.745/0.740 (18.92/18.80)
1	0.219	316	20FT-16-0.219-6M-	0.995/0.990 (25.27/25.14)

Working Pressure

Tube O.D. in.	Working Pressure, psig (bar)				
	-423 to 100°F (-252 to 37.8°C)	200°F (93°C)	400°F (204°C)	600°F (316°C)	800°F (427°C)
1/4	20,000 (1379)	20,000 (1379)	19,250 (1327)	18,050 (1244)	16,800 (1158)
3/8	20,000 (1379)	20,000 (1379)	19,250 (1327)	18,050 (1244)	16,800 (1158)
9/16	20,000 (1379)	20,000 (1379)	19,250 (1327)	18,050 (1244)	16,800 (1158)
3/4	20,000 (1379)	20,000 (1379)	19,250 (1327)	18,050 (1244)	16,800 (1158)
1	20,000 (1379)	20,000 (1379)	19,250 (1327)	18,050 (1244)	16,800 (1158)

Ordering Information

- ❖ To order Hikelok 20 series medium pressure tubing, add the material designator (316 or A825) to the basic ordering number

Coned and Threaded Nipples

❖ Hikelok supplies precut, coned-and-threaded nipples in various sizes and lengths for 20 series medium pressure valves and fittings



T-Tube O.D. in.	Tx-Tube I.D. in.	Basic Ordering Number	L in. (mm)
1/4	0.109	NIP-MPF4-2.75-	2.75 (69.9)
1/4	0.109	NIP-MPF4-3-	3 (76.2)
1/4	0.109	NIP-MPF4-4-	4 (101.6)
1/4	0.109	NIP-MPF4-6-	6 (152.4)
1/4	0.109	NIP-MPF4-8-	8 (203.2)
1/4	0.109	NIP-MPF4-10-	10 (254.0)
1/4	0.109	NIP-MPF4-12-	12 (304.8)
3/8	0.203	NIP-MPF6-3-	3 (76.2)
3/8	0.203	NIP-MPF6-4-	4 (101.6)
3/8	0.203	NIP-MPF6-6-	6 (152.4)
3/8	0.203	NIP-MPF6-8-	8 (203.2)
3/8	0.203	NIP-MPF6-10-	10 (254.0)
3/8	0.203	NIP-MPF6-12-	12 (304.8)
9/16	0.312	NIP-MPF9-4-	4 (101.6)
9/16	0.312	NIP-MPF9-6-	6 (152.4)
9/16	0.312	NIP-MPF9-8-	8 (203.2)
9/16	0.312	NIP-MPF9-10-	10 (254.0)
9/16	0.312	NIP-MPF9-12-	12 (304.8)
3/4	0.438	NIP-MPF12-4-	4 (101.6)
3/4	0.438	NIP-MPF12-6-	6 (152.4)
3/4	0.438	NIP-MPF12-8-	8 (203.2)
3/4	0.438	NIP-MPF12-10-	10 (254.0)
3/4	0.438	NIP-MPF12-12-	12 (304.8)
1	0.562	NIP-MPF16-6-	6 (152.4)
1	0.562	NIP-MPF16-8-	8 (203.2)
1	0.562	NIP-MPF16-10-	10 (254.0)
1	0.562	NIP-MPF16-12-	12 (304.8)


Ordering Information

❖ To order Hikelok 20 series medium pressure nipples, add the material designator (316 or A825) to the basic ordering number

Anti-Vibration Collet Gland Assemblies

- ❖ Anti-vibration collet gland assembly sizes from 1/4 to 1 in. (6.35 to 25.4 mm)
- ❖ Completely interchangeable with standard Hikelok 20 series medium pressure connections
- ❖ Moving the stress concentration back to the unthreaded part of the tubing and providing a wedge-type gripping action
- ❖ Anti-vibration collet gland assembly strengthens the entire structure

Typical 20 Series Anti-Vibration Collet Gland Assemblies



Dimensions

T-Tube O.D. in.	Basic Ordering Number	Dimensions, in. (mm)		
		L	C	G
1/4	AVA-MPF4-	1.19 (30.2)	0.94 (23.8)	0.63 (15.9)
3/8	AVA-MPF6-	1.50 (38.1)	1.19 (30.2)	0.81 (20.6)
9/16	AVA-MPF9-	1.78 (45.2)	1.41 (35.8)	0.94 (23.8)
3/4	AVA-MPF12-	2.00 (50.8)	1.59 (40.4)	1.25 (31.8)
1	AVA-MPF16-	2.38 (60.5)	1.69 (42.9)	1.50 (38.1)

Ordering Information

- ❖ To order Hikelok 20 series anti-vibration collet gland assembly, add the material designator (316 or A825) to the basic ordering number

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93