

Фитинги и трубы высокого давления

60

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70


Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93


Typical 60 Series fittings Assemblies

- ❖ Coned-and-Threaded Connection
- ❖ Available sizes are 1/4, 3/8, 9/16 and 1 in.
- ❖ Working pressure:
1/4, 3/8 and 9/16 in: 60000 psi (4136 bar)
1 in: 43000 psi (2964.7 bar)
- ❖ Working temperature from -423°F to 1200°F (-252°C to 649°C)
- ❖ Special 316 stainless steel and Alloy 826 material
- ❖ Anti-vibration connection components available
- ❖ Hikelok 60 series high pressure fittings are designed for use with 30 and 60 series high pressure valves




Dimensions

Glands




T-Tube O.D. in.	Ordering Number	Dimensions, in. (mm)	
		G	L
1/4	60G-HPF4-	0.63 (15.9)	0.82 (20.8)
3/8	60G-HPF6-	0.81 (20.6)	1.13 (28.7)
9/16	60G-HPF9-	1.19 (30.2)	1.50 (38.1)
1	60G-HPF16-	1.38(34.9)	1.38(34.9)

Collars




T-Tube O.D. in.	Ordering Number	Dimensions, in. (mm)	
		D	L
1/4	60C-HPF4-	0.38 (9.6)	0.38 (9.6)
3/8	60C-HPF6-	0.50 (12.7)	0.54 (13.7)
9/16	60C-HPF9-	0.81 (20.6)	0.62 (15.8)
1	60C-HPF16-	1.25 (31.8)	0.62 (15.8)

Plugs




T-Tube O.D. in.	Ordering Number	Dimensions, in. (mm)	
		D	L
1/4	60P-HPF4-	0.38 (9.6)	1.04 (26.4)
3/8	60P-HPF6-	0.50 (12.7)	1.35 (34.3)
9/16	60P-HPF9-	0.81 (20.6)	1.89 (48.0)
1	60P-HPF16-	1.25 (31.8)	2.37 (60.2)

Union Couplings




T-Tube O.D. in.	Ordering Number	Dimensions, in. (mm)				
		L	C	D	G	F
1/4	60U-HPF4-	1.38 (34.9)	0.50 (12.7)	0.09 (2.3)	0.63 (15.9)	0.75 (19.1)
3/8	60U-HPF6-	1.75 (44.5)	0.53 (13.5)	0.13 (3.3)	0.81 (20.6)	1.00 (25.4)
9/16	60U-HPF9-	2.19 (55.6)	0.81 (20.6)	0.19 (4.8)	1.19 (30.2)	1.38 (34.9)
1	60U-HPF16-	3.50 (88.9)	0.72 (18.3)	0.44 (11.1)	1.38 (34.9)	1.75 (44.5)

Reducing Union Couplings




T-Tube O.D. in.	Tx-Tube O.D. in.	Ordering Number	Dimensions, in. (mm)						
			L	C	Cx	D	G	Gx	F
3/8	1/4	HPF6-60RU-HPF4-	1.63 (41.3)	0.53 (13.5)	0.50 (12.7)	0.09 (2.3)	0.81 (20.6)	0.63 (15.9)	1.00 (25.4)
9/16	1/4	HPF9-60RU-HPF4-	1.75 (44.5)	0.81 (20.6)	0.50 (12.7)	0.09 (2.3)	1.19 (30.2)	0.63 (15.9)	1.38 (34.9)
9/16	3/8	HPF9-60RU-HPF6-	2.00 (50.8)	0.81 (20.6)	0.53 (13.5)	0.13 (3.3)	1.19 (30.2)	0.81 (20.6)	1.38 (34.9)

Union Couplings (Slip Type)




T-Tube O.D. in.	Ordering Number	Dimensions, in. (mm)				
		L	C	D	G	F
1/4	60SU-HPF4-	1.38 (34.9)	0.50 (12.7)	0.09 (2.3)	0.63 (15.9)	0.75 (19.1)
3/8	60SU-HPF6-	1.75 (44.5)	0.53 (13.5)	0.13 (3.3)	0.81 (20.6)	1.00 (25.4)
9/16	60SU-HPF9-	2.19 (55.6)	0.81 (20.6)	0.19 (4.8)	1.19 (30.2)	1.38 (34.9)
1	60SU-HPF16-	3.50 (88.9)	0.72 (18.3)	0.44 (11.1)	1.38 (34.9)	1.75 (44.5)

Bulkhead Couplings




T-Tube O.D. in.	Ordering Number	Dimensions, in. (mm)						
		L	C	D	G	F	Panel Hole Size	Max. Panel Thickness
1/4	60BU-HPF4-	1.88 (47.8)	0.50 (12.7)	0.09 (2.3)	0.63 (15.9)	1.06 (27.0)	0.94 (23.9)	0.38 (9.7)
3/8	60BU-HPF6-	2.38 (60.5)	0.53 (13.5)	0.13 (3.3)	0.81 (20.6)	1.38 (34.9)	1.13 (28.6)	0.38 (9.7)
9/16	60BU-HPF9-	2.75 (69.9)	0.81 (20.6)	0.19 (4.8)	1.19 (30.2)	1.88 (47.6)	1.69 (42.9)	0.38 (9.7)
1	60BU-HPF16-	3.50 (88.9)	0.72 (18.3)	0.44 (11.1)	1.38 (34.9)	2.13 (54.0)	1.94 (49.3)	0.50 (12.7)

Caps




T-Tube O.D. in.	Ordering Number	Dimensions, in. (mm)			
		L	C	G	F
1/4	60CA-HPF4-	0.75 (19.1)	0.50 (12.7)	0.63 (15.9)	0.75 (19.1)
3/8	60CA-HPF6-	1.13 (28.6)	0.53 (13.5)	0.81 (20.6)	1.00 (25.4)
9/16	60CA-HPF9-	1.38 (34.9)	0.81 (20.6)	1.19 (30.2)	1.38 (34.9)
1	60CA-HPF16-	2.25 (57.2)	0.72 (18.3)	1.38 (34.9)	1.75 (44.5)

Elbows




T-Tube O.D. in.	Ordering Number	Dimensions, in. (mm)							
		C	D	G	L	E	L1	E1	Thickness
1/4	60UE-HPF4-	0.50 (12.7)	0.09 (2.3)	0.63 (15.9)	1.50 (38.1)	0.88 (22.4)	1.00 (25.4)	0.62 (15.7)	0.75 (19.1)
3/8	60UE-HPF6-	0.53 (13.5)	0.13 (3.3)	0.81 (20.6)	2.00 (50.8)	1.25 (31.8)	1.50 (38.1)	1.00 (25.4)	1.00 (25.4)
9/16	60UE-HPF9-	0.81 (20.6)	0.19 (4.8)	1.19 (30.2)	2.62 (66.5)	1.88 (47.8)	1.88 (47.8)	1.12 (28.4)	1.50 (38.1)
1	60UE-HPF16-	0.72 (18.3)	0.44 (11.1)	1.38 (34.9)	3.00 (76.2)	2.06 (52.3)	3.00 (76.2)	2.06 (52.3)	1.75 (44.5)

Tees



T-Tube O.D. in.	Ordering Number	Dimensions, in. (mm)						
		C	D	G	L	L1	E	Thickness
1/4	60UT-HPF4-	0.50 (12.7)	0.09 (2.3)	0.63 (15.9)	2.00 (50.8)	1.25 (31.8)	0.88 (22.4)	0.75 (19.1)
3/8	60UT-HPF6-	0.53 (13.5)	0.13 (3.3)	0.81 (20.6)	2.00 (50.8)	1.56 (39.6)	1.06 (26.9)	1.00 (25.4)
9/16	60UT-HPF9-	0.81 (20.6)	0.19 (4.8)	1.19 (30.2)	2.62 (66.5)	2.12 (53.8)	1.38 (35.0)	1.50 (38.1)
1	60UT-HPF16-	0.72 (18.3)	0.44 (11.1)	1.38 (34.9)	4.12 (104.6)	3.00 (76.2)	2.06 (52.3)	1.75(44.5)

Crosses



T-Tube O.D. in.	Ordering Number	Dimensions, in. (mm)					
		C	D	G	L	L1	Thickness
1/4	60UC-HPF4-	0.50 (12.7)	0.09 (2.3)	0.63 (15.9)	2.00 (50.8)	1.25 (31.8)	0.75 (19.1)
3/8	60UC-HPF6-	0.53 (13.5)	0.13 (3.3)	0.81 (20.6)	2.00 (50.8)	2.12 (53.8)	1.00 (25.4)
9/16	60UC-HPF9-	0.81 (20.6)	0.19 (4.8)	1.19 (30.2)	2.62 (66.5)	2.75 (69.9)	1.50 (38.1)
1	60UC-HPF16-	0.72 (18.3)	0.44 (11.1)	1.38 (34.9)	4.12 (104.6)	4.12 (104.6)	1.75(44.5)

Ordering Information

❖ To order Hikelok 60 series high pressure fittings, add the material designator (316 or A825) to the ordering number

60 Series Tubing

- ❖ Working pressure:
1/4, 3/8 and 9/16 in: 60000 psi (4136 bar)
1 in: 43000 psi (2964.7 bar)
- ❖ 316 and 304 stainless steel are standard materials. Other materials are available upon request
- ❖ Material, size and heat code are indicated on the tubing surface



T-Tube O.D. in.	Tx-Tube I.D. in.	Material	Basic Ordering Number	Tolerance O.D. in. (mm)
1/4	0.083	316 S.S.	FT-4-0.083-6M-	0.248/0.243 (6.30/6.17)
3/8	0.125	316 S.S.	FT-6-0.125-6M-	0.370/0.365 (9.40/9.27)
9/16	0.188	316 S.S.	FT-9-0.188-6M-	0.557/0.552 (14.15/14.02)
1	0.281	316 S.S.	FT-16-0.281-6M-	0.995/0.990 (25.27/25.14)

Working Pressure

T-Tube O.D. in.	Working Pressure, psig (bar)				
	-423 to 100°F (-252 to 37.8°C)	200°F (93°C)	400°F (204°C)	600°F (316°C)	800°F (427°C)
1/4	60000 (4137)	60000 (4137)	57750 (3982)	54250 (3740)	50700 (3496)
3/8	60000 (4137)	60000 (4137)	57750 (3982)	54250 (3740)	50700 (3496)
9/16	60000 (4137)	60000 (4137)	57750 (3982)	54250 (3740)	50700 (3496)
1	43000 (2964.7)	43000 (2964.7)	43000 (2964.7)	41380 (2853)	36330 (2504.8)


Ordering Information

- ❖ To order Hikelok 60 series high pressure tubing, add the material designator (316 or A825) to the basic ordering number

Coned and Threaded Nipples

- ❖ Hikelok supplies precut, coned-and-threaded nipples in various sizes and lengths for 60 series high pressure valves and fittings

Dimensions



Coned and Threaded Nipples

T-Tube O.D. in.	Tx-Tube I.D. in.	Ordering Number	L in. (mm)
1/4	0.083	NIP-HPF4-2.75	2.75 (69.9)
1/4	0.083	NIP-HPF4-3	3 (76.2)
1/4	0.083	NIP-HPF4-4	4 (101.6)
1/4	0.083	NIP-HPF4-6	6 (152.4)
1/4	0.083	NIP-HPF4-8	8 (203.2)
1/4	0.083	NIP-HPF4-10	10 (254.0)
1/4	0.083	NIP-HPF4-12	12 (304.8)
3/8	0.125	NIP-HPF6-3	3 (76.2)
3/8	0.125	NIP-HPF6-4	4 (101.6)
3/8	0.125	NIP-HPF6-6	6 (152.4)
3/8	0.125	NIP-HPF6-8	8 (203.2)
3/8	0.125	NIP-HPF6-10	10 (254.0)
3/8	0.125	NIP-HPF6-12	12 (304.8)
9/16	0.188	NIP-HPF9-4	4 (101.6)
9/16	0.188	NIP-HPF9-6	6 (152.4)
9/16	0.188	NIP-HPF9-8	8 (203.2)
9/16	0.188	NIP-HPF9-10	10 (254.0)
9/16	0.188	NIP-HPF9-12	12 (304.8)
1	0.281	NIP-HPF16-4	4 (101.6)
1	0.281	NIP-HPF16-6	6 (152.4)
1	0.281	NIP-HPF16-8	8 (203.2)
1	0.281	NIP-HPF16-10	10 (254.0)
1	0.281	NIP-HPF16-12	12 (304.8)


Ordering Information

- ❖ To order Hikelok 60 series high pressure nipples, add the material designator (316 or A825) to the basic ordering number

Anti-Vibration Collet Gland Assemblies

- ❖ Anti-vibration collet gland assembly sizes from 1/4, 3/8, 9/16 and 1 in.
- ❖ Completely interchangeable with standard Hikelok 60 series high pressure connections
- ❖ Moving the stress concentration back to the unthreaded part of the tubing and providing a wedge-typegripping action
- ❖ Anti-vibration collet gland assembly strengthens the entire structure

Typical 60 Series anti-vibration collet gland assembly



Dimensions

T-Tube O.D. in.	Basic Ordering Number	Dimensions, in. (mm)		
		L	C	F
1/4	AVA-HPF4-	0.81 (20.6)	0.50 (12.7)	0.63 (15.9)
3/8	AVA-HPF6-	1.12 (28.4)	0.62 (15.7)	0.81 (20.6)
9/16	AVA-HPF9-	1.50 (38.1)	1.00 (25.4)	1.19 (30.2)
1	AVA-HPF16-	2.38 (60.5)	1.69 (42.9)	1.50 (38.1)

Ordering Information

- ❖ To order Hikelok 60 series anti-vibration collet gland assembly, add the material designator (316 or A825) to the basic ordering number

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93